



The “Original” and Best
Chip Management Solution.

LTL PUCKER

“We proudly hold the only patented superior two step process technology that allows our Puckmaster machines to rapidly compress metal chips into solid pucks while removing 98% of all moisture.”



PuckMaster, Inc.

1490 94th Lane N.E.

Blaine, MN 55449

Ph: 800-889-4508

Fx: 763-786-4403

www.puckmaster.com

info@puckmaster.com

HYDRAULIC POWER UNIT:

- * 15 Horsepower Electric Motor
- * 18 GPM Main High-Pressure Pump
- * 50 Gallon Hydraulic Tank
- * 440 Volt, 3-Phase, 60 Hertz, 15 Amp Service
- * Allen Bradley PLC
- * Allen Bradley Panel View
- * Hydraulic Filters with Gauges

COMPRESSION UNIT:

- * 8” Cylinder
- * 2.5” Diameter Compression Tooling
- * 34,500 PSI Compacting Pressure on Material
- * Puck Discharge Chute

OPTIONS:

- * 1 Cubic Yard External Auger Box
- * Coolant Recovery Pump
- * Discharge Conveyors
- * Warning Light Stack

SAFETY FEATURES:

- * Warning Lights
- * 12 Gauge Safety Panels
- * High Pressure Control Valves
- * Safety Grates
- * Hard-Wired Emergency Stop Circuited System
- * Control Box Safety Latch
- * Safety Relief Valves
- * Low Oil Level Shut Down
- * High/Low Temperature Control
- * Warning and Danger Labels

All specifications subject to change without prior notice. Output capacities are approximate and will vary depending on your application.

ENVIRONMENTAL QUALITIES:

- * Helps comply with ISO 14001 environmental management standards
- * Provides for a cleaner, safer workplace
- * Increases space availability
- * No coolant spillage while transporting scrap waste

FLOOR SPACE REQUIRED:

- * 48 sq. feet / 4.46 sq. meters

SHIPPING WEIGHT:

- * 4,000 lb / 1,820 kg

OUTPUT CAPACITY: (Per Hour)

- * 16-6 - Aluminum, 100-200 lbs
- * 32-6 - Aluminum, 130-300 lbs